

**BID BOOKLET
FOR HIGHWAY CONSTRUCTION**



**LINN COUNTY ROAD DEPARTMENT
ALBANY, OREGON**

GRINDING AND PAVING

2020 OVERLAYS

BREWSTER RD AND BELLINGER SCALE RD

LINN COUNTY

July 21, 2020

CLASS OF PROJECT COUNTY
CLASS OF WORK ASPHALT CONCRETE PAVING AND OILING
BID OF _____

**2020 Overlays
Grinding and Paving**

DESCRIPTION OF WORK

Grinding and Paving
2020 Overlays
Brewster Rd and Bellinger Scale Rd
Linn County

TIMES AND PLACES OF RECEIVING BIDS (BID CLOSING)

Bid Closing for the work described above will be 9:15:00 a.m. on the 21st day of July, 2020.

Before 9:00:00 a.m. on the day of Bid Closing, Bids shall be submitted to:

Ralph Wyatt, County Administrative Officer, Linn County Courthouse, 300 Fourth Avenue S.W., Room 201, Albany, Oregon 97321

Bids, Bid modifications, and Bid withdrawals will not be accepted on or after 9:15:00 a.m. on the day of Bid Closing.

PLACE, TIME, AND DATE OF READING BIDS (BID OPENING)

Bid Opening for the work described above will be opened and read at the Linn County Courthouse, Board of Commissioners, 300 Fourth Avenue S.W., Room 201, Albany, Oregon, beginning at approximately 9:35 a.m. on the day of Bid Closing.

COMPLETION TIME LIMIT

See Special Provisions Subsection 00180.50(h).

CLASS OF PROJECT

This is a County Project.

CLASS OF WORK

The Class of Work for this Project is: Asphalt Concrete Paving and Oiling

APPLICABLE SPECIAL PROVISIONS

The Special Provisions booklet applicable to the above-described work, for which Bids will be opened at the place, time, and date stated above, is that which contains the exact information as shown above on this page.

Bidders are cautioned against basing their Bids on a booklet bearing any different description, date(s), class of project, or class of work.

**2020 Overlays
Grinding and Paving**

INSTRUCTIONS FOR MODIFYING BID

General - Bid modifications must be received in writing by hand delivery, mail, parcel delivery service, or by electronic facsimile (FAX) transmission prior to the time designated for Bid Closing. Bid modifications received after Bid Closing will not be considered. **Incomplete or late transmittals will not be accepted, regardless of reason.**

Bids will be modified at the Bid Opening according to the information received.

Instructions and Format - Make modifications to Bids according to the "Letter Format for Modifying Bid" document located in this Bid Booklet and the following:

- Prepare the modifications on the Bidder's letterhead stationery.
- Include the Project title and the Bidder's company name.
- Make changes (increase/decrease statement) for each affected Bid Item. (*Lumping the changes into one Bid Item may result in the Bid Item being unbalanced, causing the Bid to be considered irregular and constituting grounds for Bid rejection.*)
- List all decreased-in-Bid items in numerical order first, then list all increased-in-Bid items.
- Show the total difference in the Bid last. (*Do not refer to your original Bid total. Do not show a new Bid total. Do not include a new Bid Schedule.*)
- Print name and sign the letter by an individual authorized to execute Bids.

Hand Delivery, Mail, or Parcel Delivery Service - If delivering by hand, mail or parcel delivery service deliver to:

Ralph Wyatt, County Administrative Officer, Linn County Courthouse, 300 Fourth Avenue S.W., Room 201, Albany, Oregon 97321

FAX Transmittals - If using FAX as transmission, send them according to the following:

- Send the FAX to the FAX telephone number 541-926-8228. FAX transmittals will be accepted only at this number. (*Contractors will be responsible for the payment for the transmission of Bid modifications.*)
- The time of receipt of FAX transmittals by the County will be determined by the time which is electronically imprinted upon the Bid change by the County facsimile machine.
- The Agency is not responsible for any failed or partial FAX transmissions of Bid changes, caused by whatever reason, mechanical failure or otherwise.
- **Complete Bids will not be accepted by FAX.**

**2020 Overlays
Grinding and Paving**

LETTER FORMAT FOR MODIFYING BID

(NOTE: Text shown as "italic-underline" are instructions for preparing the letter for modifying Bids.)

(Prepare on Bidders Letterhead Stationery)

(Bid Opening Date)

Attn: Ralph Wyatt, County Administrative Officer

Hand Delivery, Mail, or Parcel Delivery Service Address:

Linn County Courthouse
300 Fourth Avenue S.W., Room 201
Albany, Oregon 97321

SUBJECT: Modifications to Bid

(Project Title)

(Bidders Company Name)

(For a decrease in a Bid amount: Copy and paste the following line for each Bid Item reduction.)

Reduce Bid Item No. _____ by \$_____ per _____ (Indicate unit of measurement, e.g., ton, cu. yd., sq. ft., etc.)

(For an increase in a Bid amount: Copy and paste the following line for each Bid Item increase.)

Increase Bid Item No. _____ by \$_____ per _____ (Indicate unit of measurement, e.g., ton, cu. yd., sq. ft., etc.)

This will (increase/decrease) our total Bid by \$_____. (Only show the total increase or decrease of your Bid. Do not show a new Bid total.)

(Printed name of individual signing below.)

(Signed by an individual authorized to sign Bids and execute documents.)

**SPECIAL PROVISIONS
FOR HIGHWAY CONSTRUCTION**



**LINN COUNTY ROAD DEPARTMENT
ALBANY, OREGON**

GRINDING AND PAVING

2020 OVERLAYS

BREWSTER RD AND BELLINGER SCALE RD

LINN COUNTY

July 21, 2020

**2020 Overlays
Grinding and Paving**

DESCRIPTION OF WORK

Grinding and Paving
2020 Overlays
Brewster Rd and Bellinger Scale Rd
Linn County

TIMES AND PLACES OF RECEIVING BIDS (BID CLOSING)

Bid Closing for the work described above will be 9:15:00 a.m. on the 21st day of July, 2020.

Before 9:15:00 a.m. on the day of Bid Closing, Bids shall be submitted to:

Ralph Wyatt, County Administrative Officer, Linn County Courthouse, 300 Fourth Avenue S.W.,
Room 201, Albany, Oregon 97321

Bids, Bid modifications, and Bid withdrawals will not be accepted on or after 9:15:00 a.m. on the day
of Bid Closing.

PLACE, TIME, AND DATE OF READING BIDS (BID OPENING)

Bid Opening for the work described above will be opened and read at the Linn County Courthouse,
Board of Commissioners, 300 Fourth Avenue S.W., Room 201, Albany, Oregon, beginning at
approximately 9:35 a.m. on the day of Bid Closing.

START DATE

No work included in this contract shall begin prior to the Preconstruction Meeting. Other Job Site
Restrictions may apply as shown in Section 00130.80 of these Specifications.

COMPLETION TIME LIMIT

See Subsection 00180.50(h).

CLASS OF PROJECT

This is a County Project.

CLASS OF WORK

The Class of Work for this Project is: Asphalt Concrete Paving and Oiling

PROJECT INFORMATION

Information pertaining to this Project may be obtained from the following:

Daineal Malone, P.E., Project Manager, Linn County Road Department,
3010 Ferry St, S.W., Albany, Oregon 97322; Phone 541-967-3919, Fax 541-924-0202.
Email: daineal.malone@co.linn.or.us

Chuck Knoll, P.E., Linn County Engineer, Linn County Road Department,
3010 Ferry Street, S.W., Albany, Oregon 97322; Phone 541-967-3919, Fax 541-924-0202.
Email: cknoll@co.linn.or.us

**2020 Overlays
Grinding and Paving**

TABLE OF CONTENTS FOR SPECIAL PROVISIONS

PROJECT WAGE RATES	
WEB SITE ADDRESSES	
RAILROAD CONTRACTOR REQUIREMENTS	
FIRST-TIER SUBCONTRACTOR DISCLOSURE FORM INSTRUCTIONS	
SIGNATURE SHEETS	
SPECIAL PROVISIONS	1
WORK TO BE DONE.....	1
APPLICABLE SPECIFICATIONS	1
CLASS OF PROJECT	1
SECTION 00100 - GENERAL CONDITIONS	1
SECTION 00110 - ORGANIZATION, CONVENTIONS, ABBREVIATIONS AND DEFINITIONS.....	1
SECTION 00120 - BIDDING REQUIREMENTS AND PROCEDURES	2
SECTION 00130 - AWARD AND EXECUTION OF CONTRACT	3
SECTION 00140 - SCOPE OF WORK.....	4
SECTION 00150 - CONTROL OF WORK.....	4
SECTION 00160 - SOURCE OF MATERIALS	5
SECTION 00165 - QUALITY OF MATERIALS	5
SECTION 00170 - LEGAL RELATIONS AND RESPONSIBILITIES	5
SECTION 00180 - PROSECUTION AND PROGRESS	9
SECTION 00190 - MEASUREMENT OF PAY QUANTITIES	11
SECTION 00195 - PAYMENT	12
SECTION 00196 - PAYMENT FOR EXTRA WORK.....	14
SECTION 00197 - PAYMENT FOR FORCE ACCOUNT WORK	14
SECTION 00199 - DISAGREEMENTS, PROTESTS, AND CLAIMS	14
SECTION 00210 - MOBILIZATION	14
SECTION 00220 - ACCOMMODATIONS FOR PUBLIC TRAFFIC.....	14
SECTION 00225 - WORK ZONE TRAFFIC CONTROL.....	15
SECTION 00280 - EROSION AND SEDIMENT CONTROL	16
SECTION 00290 - ENVIRONMENTAL PROTECTION	16
SECTION 00310 - REMOVAL OF STRUCTURES AND OBSTRUCTIONS	17
SECTION 00620 - COLD PLANE PAVEMENT REMOVAL.....	18
SECTION 00730 - EMULSIFIED ASPHALT TACK COAT	18
SECTION 00744 - ASPHALT CONCRETE PAVEMENT	18
SECTION 00749 - MISCELLANEOUS ASPHALT CONCRETE STRUCTURES	19
APPENDIX A - PROJECT PLANS	
APPENDIX B - BID SECTION	

**2020 Overlays
Grinding and Paving**

PROJECT WAGE RATES

Minimum Wage Requirements - This Project is subject to State prevailing wage rate requirements. Not less than the existing State prevailing wage rates shall be paid to workers according to 00170.65(b) and 00170.65(e).

Applicable Wages - Prevailing wage rates published in the wage determinations and any applicable modifications or amendments apply to this Project and are incorporated by reference:

Oregon Bureau of Labor and Industries (BOLI), "Prevailing Wage Rates for Public Works Contracts in Oregon".

The applicable State prevailing wage rates last published prior to the time of Bid Opening, which is stated on the Description of Work page, apply to this Project.

Wage Rates are Internet-Accessible - The BOLI wage rates can be found on the Oregon Bureau of Labor and Industries website at:

<http://www.oregon.gov/boli/WHD/PWR/Pages/index.aspx>

Wage Rates are Subject to Change - Modifications or amendments to the BOLI wage rates applicable to this Project may occur at any time before Bid Opening. Bidders are responsible to monitor the respective web page(s) for modifications and amendments up until Bid Opening.

WEB SITE ADDRESSES

General Conditions for Construction for the Linn County Road Department:

<http://www.co.linn.or.us/Roads/ContractConst.asp> - Project Title

Plan Holder Registration (00120.05):

<http://www.co.linn.or.us/Roads/Register.asp>

Addenda Letters (00120.30):

<http://www.co.linn.or.us/Roads/ContractConst.asp> - Project Title

Notice of Intent to Award (00130.10):

<http://www.co.linn.or.us/Roads/ContractConst.asp> - Project Title

RAILROAD CONTRACTOR REQUIREMENTS

The following railroad facilities are located within the project limits on Brewster Road:

- Albany & Eastern Railroad Company

When railroad flagger services are required, contact the Albany & Eastern Railroad Company as listed under section 00170.01(e).

**2020 Overlays
Grinding and Paving**

FIRST-TIER SUBCONTRACTOR DISCLOSURE FORM INSTRUCTIONS

The First-tier Subcontractor Disclosure Form is included in the Bid Section.

Instructions for Submitting Form

Submit the First-Tier Subcontractor Disclosure form not later than two working hours after the time set for Bid Closing (For example, before 11:00 a.m. after a 9:00 a.m. Bid Closing.) by any of the following methods:

- By filling out the Subcontractor Disclosure Form included in the Bid Booklet and submitting it together with the Bid at the time designated for receipt of Bids.
- Hand delivering it to: The Linn County Courthouse, 300 Fourth Avenue S.W., Room 201, Albany, OR 97321, or
- FAX it to 541-924-0202

The Department is not responsible for partial, failed, illegible, or partially legible FAX transmissions or electronic submissions.

Instructions for First-Tier Subcontractor Disclosure

Without regard to the amount of a Bidder's Bid, if the Agency's cost range for a public improvement Project in the "Notice to Contractors", or in other advertisement or solicitation documents is greater than \$100,000 Bidders are required to disclose information about first-tier Subcontractors that will furnish labor or labor and materials (See ORS 279C.370). Specifically, when the contract amount of a first-tier Subcontractor is greater than or equal to: (1) 5% of the total project Bid, but at least \$15,000, or (2) \$350,000 regardless of the percentage of the total project Bid, you must disclose the following information about that Subcontractor not later than two working hours after the time set for opening Bids:

- The name of the Subcontractor
- The category of work that the Subcontractor will be performing
- The dollar amount of the subcontract

Total all work for each Subcontractor in making this determination.

If the Agency's cost range is greater than \$100,000 and you will not be using any first-tier Subcontractors, you are still required to submit the form, with the appropriate box checked or enter "NONE" on the first line.

If the Agency's cost range is greater than \$100,000 and you are not subject to the above disclosure requirements, you are still required to submit the form, with the appropriate box checked or enter "NONE" on the first line.

THE AGENCY MUST REJECT BIDS if the Bidder fails to submit the disclosure form with this information by the stated deadline.

2020 Overlays
Grinding and Paving

LINN COUNTY ROAD DEPARTMENT

SPECIAL PROVISIONS

FOR

Grinding and Paving
2020 Overlays
Brewster Rd and Bellinger Scale Rd
Linn County

PROFESSIONAL OF RECORD CERTIFICATION(s):

<p>Seal w/signature</p>  <p>Renew: 06/30/21</p>	<p>I certify the Special Provision Section(s) listed below are applicable to the design for the subject project for General Conditions and environmental. Modified Special Provisions were prepared by me or under my supervision.</p> <p>Section 00110, 00120, 00130, 00140, 00150, 00160, 00165, 00170, 00180, 00190, 00195, 00196, 00197, 00199, 00280, 00290</p>
<p>Date Signed: <u>06/24/20</u></p>	

**2020 Overlays
Grinding and Paving**

LINN COUNTY ROAD DEPARTMENT

SPECIAL PROVISIONS

FOR

**Grinding and Paving
2020 Overlays
Brewster Rd and Bellinger Scale Rd
Linn County**

PROFESSIONAL OF RECORD CERTIFICATION(s):

<p>Seal w/signature</p>  <p>RENEWS: <u>12/31/2020</u></p>	<p>I certify the Special Provision Section(s) listed below are applicable to the design for the subject project for grinding, paving and striping . Modified Special Provisions were prepared by me or under my supervision.</p> <p>Section 00210, 00220, 00225, 00310, 00620, 00730, 00744, 00749</p>
<p>Date Signed: <u>06/24/2020</u></p>	

**2020 Overlays
Grinding and Paving**

SPECIAL PROVISIONS

WORK TO BE DONE

The Work to be done under this Contract consists of the following:

- 1) Furnish, install, maintain, and remove traffic control devices
- 2) Cold plane pavement removal
- 3) Asphalt pavement saw cutting
- 4) Install asphalt concrete pavement
- 5) Perform additional and incidental Work as called for by the Specifications and Plans

The locations for this Work to be done are as follows:

Unit 1 County Road No. 0722, Bellinger Scale Road, from Edwards Drive to Mt. Hope Drive – 1.73 miles

Unit 2 County Road No. 0024, Brewster Road, from the existing chip seal south of Highway 226 to the railroad tracks north of Cold Springs Road – 1.68 miles

APPLICABLE SPECIFICATIONS

The Specifications that are applicable to the Work on this Project are the November 15, 2019 edition of the “General Conditions for Construction for the Linn County Road Department” and the 2018 edition of the “Oregon Standard Specifications for Construction”, as modified by these Special Provisions. All Sections in Part 00100 apply, whether or not modified or referenced in the Special Provisions.

All number references in these Special Provisions shall be understood to refer to the Sections and subsections of the Standard Specifications bearing like numbers and to Sections and subsections contained in these Special Provisions in their entirety.

CLASS OF PROJECT

This is a County Project.

SECTION 00100 - GENERAL CONDITIONS

Comply with Section 00100 of the General Conditions for Construction for the Linn County Road Department modified as follows:

SECTION 00110 - ORGANIZATION, CONVENTIONS, ABBREVIATIONS AND DEFINITIONS

Comply with Section 00110 of the Standard Specifications modified as follows:

00110.05(d) References to Laws, Acts, Regulations, Rules, Ordinances, Statutes, Orders, and Permits - Replace the bullet that begins “Applicable Laws and Regulations” with the following bullet:

- **Applicable Laws and Regulations** - Where phrases such as “applicable law”, “applicable laws and regulations”, “applicable legal requirements” or similar phrases appear, they are to be understood as including all applicable laws, acts, regulations, administrative rules, ordinances, statutes, and orders and permits issued by a governmental or regulatory authority. The words “law” or “laws” may or may not be capitalized in such phrases.

**2020 Overlays
Grinding and Paving**

00110.05(e) Reference to Websites - Add the following bullet list to the end of this subsection:

- American Traffic Safety Services Association (ATSSA)
www.atssa.com
- ODOT Construction Section
www.oregon.gov/odot/construction/pages/index.aspx
- ODOT Construction Section - Qualified Products List (QPL)
www.oregon.gov/ODOT/Construction/Pages/Qualified-Products.aspx
- ODOT Estimating
www.oregon.gov/ODOT/Business/Pages/Steel.aspx
- Oregon Legislative Counsel
www.oregonlegislature.gov/lc
- ODOT Procurement Office - Construction Contracts Unit prequalification forms
www.oregon.gov/odot/business/procurement/pages/bid_award.aspx
- Oregon Secretary of State: State Archives
sos.oregon.gov/archives/Pages/default.aspx
- ODOT Traffic Control Plans Unit
www.oregon.gov/ODOT/Engineering/Pages/Work-Zone.aspx
- ODOT Traffic Standards
www.oregon.gov/ODOT/Engineering/Pages/Signals.aspx

SECTION 00120 - BIDDING REQUIREMENTS AND PROCEDURES

Comply with Section 00120 of the Standard Specifications modified as follows:

00120.05 Request for Plans, Special Provisions, and Bid Booklets - Add the following to the end of this subsection:

The Plans, which are applicable to the Work to be performed under the Contract, are included in these Special Provisions.

00120.10 Bid Booklet - In the paragraph that begins "The Bid Section includes all pages after...", add the following bullet to the bullet list:

- Certificate of nondiscrimination regarding ORS 279A.110 and certificate regarding policy and practice against sexual harassment, sexual assault and discrimination against employees who are members of a protected class as required by ORS 279A.112 (House Bill 3060, 2017)

00120.40(b) Bidding Considerations - Replace this subsection, except for the subsection number and title, with the following:

Bidders may refer to the following Subsections for requirements that may affect bidding considerations:

Subsection	Requirements
00120.80	Reciprocal Preference for Oregon Resident Bidders
00130.80	Project Site Restrictions

2020 Overlays Grinding and Paving

00150.55	Cooperation with Other Contractors
00150.75	Protection and Maintenance of Work during Construction
00160.20(a)	Buy America
00160.20(b)	Buy Oregon
00170.07	Record Requirements
00180.20	Subcontracting Limitations
00180.21	Subcontracting
00195.00(a)	Cost of Insurance and Bonds
00195.50(a)(1)	Progress Estimates
00199.30	Claims Procedure

00120.40(f) Disclosure of First-Tier Subcontractors – Replace the paragraph that begins “If no subcontract subject to the above...” with the following paragraph:

If no subcontracts subject to the above disclosure requirements are anticipated, a Bidder shall so indicate by entering "NONE" or by filling in the appropriate check box. For each Subcontractor listed, Bidders shall provide all requested information. Failure to submit a form or submission of a form that does not include the information required by ORS 279C.370 for each Subcontractor listed, specifically the name of each Subcontractor, the dollar amount of each subcontract and the category of Work that each Subcontractor will perform, will result in the rejection of the Bid. The Agency is not required to determine the accuracy or the completeness of the Subcontractor disclosure. See ORS 279C.370 and OAR 731-007-0260.

00120.60 Revision or Withdrawal of Bids - Add the following bullet to the first bulleted list:

- The changes are submitted by scanning and submitting via email transmission to the email address given in the paper Bid Booklet, signed by an individual authorized to sign the Bid.

Add the following to the second bulleted list:

- The written withdrawal request is submitted on the Bidder's letterhead, either by hand delivery or by scanning and submitting via email to the email address given in the paper Bid Booklet.

00120.70 Rejection of Nonresponsive Bids – Replace the bullet that begins “The Bid has entries not typed or in ink, or has ...” with the following bullet:

- The Bid has entries not typed or in ink, or has signatures or initials not in ink (save for changes received by email or FAX as provided by 00120.60).

Add the following bullets to the end of the bullet list:

- The Bidder has liquidated and delinquent debt owed to the State or any department or agency of the State.

SECTION 00130 - AWARD AND EXECUTION OF CONTRACT

Comply with Section 00130 of the Standard Specifications modified as follows:

00130.00 Consideration of Bids - Replace the paragraph that begins “The Agency reserves the right to...” with the following paragraph:

The Agency reserves the right to waive minor informalities and irregularities, seek clarification of any Bid or response that, in its sole discretion, it deems necessary or advisable, and to reject any or all Bids for irregularities under 00120.70 or for good cause after finding that it is in the public interest to do so (ORS 279C.395). An example of good cause for rejection in the public interest is the Agency's

2020 Overlays Grinding and Paving

determination that any of the unit Bid prices are significantly unbalanced to the Agency's potential detriment. The Agency may correct obvious clerical errors, when the correct information can be determined from the face of the documents, if it finds that the best interest of the Agency and the public will be served thereby.

00130.10 Award of Contract - Add the following paragraph after the paragraph that begins "If the Bidder is found not to have....":

In determining whether the Bidder is responsible, the Agency may also consider whether the Bidder has liquidated and delinquent debt owed to the State of Oregon or any department or agency of the State.

00130.15 Right to Protest Award - Replace the sentence that begins "The Agency is not obligated..." with the following sentence:

The Agency will not consider late protests.

SECTION 00140 - SCOPE OF WORK

Comply with Section 00140 of the Standard Specifications.

SECTION 00150 - CONTROL OF WORK

Comply with Section 00150 of the Standard Specifications modified as follows:

00150.30 Delivery of Notices - Add the following to the end of this subsection:

For purposes of this subsection, the time zone is Pacific Standard Time (PST) to determine time of receipt of notices and other documents. For purposes of this subsection, non-business days are Saturdays, Sundays and legal holidays as defined by ORS 187.010 and 187.020.

Following Notice to Proceed, all notices and other documents submitted to the Contractor by the Engineer, or to the Engineer by the Contractor, electronically under 00170.08.

Claims must be submitted on paper documents according to Section 00199.

Add the following subsection:

00150.50(f) Utility Information (No Anticipated Conflicts) - Within the Project limits, there are no anticipated conflicts with any Utilities.

00150.90(b) All Contract Work – Replace the bullet that reads "The Contractor has removed..." with the following bullet:

- The Contractor has removed all Equipment, other than that incorporated into the Work; and

00150.97 Responsibility for Materials and Workmanship - Add the following to the end of this subsection:

(c) Full or partial termination of the Contract under 00180.90 shall not relieve the Contractor of responsibility for completed or performed Work, or relieve the Contractor's Surety of the obligation for any just claims arising from the completed or performed Work.

**2020 Overlays
Grinding and Paving**

SECTION 00160 - SOURCE OF MATERIALS

Comply with Section 00160 of the Standard Specifications modified as follows:

00160.50(a) General - Replace the paragraph that begins “The Contractor shall have no property...” with the following paragraph:

The Contractor shall have no property rights in, or right of occupancy on, Agency Controlled Land. Nor shall the Contractor have the right to sell, use, remove, or otherwise dispose of any material from Agency-Controlled Land, areas, or property, except as specified or by the written authorization of the Engineer.

SECTION 00165 - QUALITY OF MATERIALS

Comply with Section 00165 of the Standard Specifications modified as follows:

00165.10(a) Field-Tested Materials - Replace the sentence that begins “Field-tested Materials will be...” with the following sentence:

Field-tested Materials will be accepted according to the MFTP.

SECTION 00170 - LEGAL RELATIONS AND RESPONSIBILITIES

Comply with Section 00170 of the Standard Specifications modified as follows:

00170.00 General - Add the following to the end of this subsection:

It is the Agency’s intention to make all payments due under the Contract if funds are legally available for such purpose. The Agency reasonably believes that at the time of entering into the Contract sufficient funds are available and authorized for expenditure to finance the cost of the Contract within the Agency’s appropriation or limitation, or other funding sources. Agency’s payment of amounts under the Contract is contingent on the Agency receiving adequate appropriations, limitations or other expenditure authority or funds to allow the Agency to continue to make payments under the Contract. In the event the Agency becomes aware that sufficient funds are not available and authorized, the Agency will provide prompt written notice to the Contractor, and the Agency may terminate the Contract as provided in 00180.90(c).

Add the following subsection:

00170.01(e) Railroads - The Contractor shall contact the railroad company 3 Working Days in advance of working on or within 12’ of the tracks on Brewster Road.

The Albany & Eastern Railroad Company contact person for Unit 2 of this Project is:

Bruce Trask or Ron West
263 Industrial Way
Lebanon, OR 97355
(541) 259-6470
email: bruce@albanyeastern.com
email: ron@albanyeastern.com

The USDOT Number for this crossing is 759908V

The Folder Number for this unit is 62220

2020 Overlays Grinding and Paving

If required, the Contractor shall obtain and provide the Engineer a copy of any agreement and requirements between the Contractor and the Railroad before beginning Work on or within the Railroad property or Right-of-Way.

When railroad flagger services are required, the Agency will pay for the services. Payment will be made for not more than the time required to perform the Work requiring the flagging services. Any delays beyond the required time to perform the Work will be at no additional cost to the Agency.

00170.07(d) Public Records Requests - Replace the paragraph that begins " If records provided under this section..." with the following paragraph:

If records provided under this section contain any information that may be considered exempt from disclosure as a trade secret under either ORS 192.345(2) or ORS 646.461(4), or under other grounds specified in Oregon Public Records Law, ORS 192.311 through ORS 192.478, the Contractor shall clearly designate on or with the records the portions which the Contractor claims are exempt from disclosure, along with a justification and citation to the authority relied upon. Entire records or documents should not be designated as a trade secret or otherwise exempt from disclosure. Only specific information within a record or document should be so designated.

00170.65(b)(4) Owner/Operator Data – Replace the bullet that begins “Motor Carrier plate number” with the following bullet:

- Motor Carrier account number;

00170.70 Insurance - Replace this subsection with the following subsection:

00170.70 Insurance:

(a) Insurance Coverages -

Contractor - The Contractor shall obtain the insurance specified below prior to the execution of the Contract. The Contractor shall maintain the insurance in full force at the Contractor's expense throughout the duration of the Contract and all warranty periods that apply.

Subcontracting - If the Contractor specifies prior to the execution of the Contract that a Subcontractor will satisfy an insurance requirement, that is permitted to be satisfied by a Subcontractor, the Contractor shall obtain Agency approval of Subcontractor and Subcontractor's insurance coverage(s), as required by 00180.21, prior to commencement of Subcontracted work. After the Contractor receives Agency approval of the Subcontractor, the Contractor may contractually obligate the Subcontractor to obtain and maintain, at the Subcontractor's expense or at the Contractor's expense, the insurance permitted.

The Contractor shall require that all Subcontractors carry insurance coverage that the Contractor deems appropriate based on the risks of the subcontracted work. The Contractor shall obtain proof of the required insurance coverages, as applicable, from any Subcontractor providing Services related to the Contract.

Neither the insurance provided by Subcontractor(s) nor any agreements Contractor or Subcontractor(s) may enter into shall place any limitation on the liability or indemnification obligations of the Contractor under applicable law or the Contract.

Insurance Provisions - The Contractor and Subcontractor(s), if any, shall obtain insurance from insurance companies or entities that are authorized to transact the business of insurance and issue coverage in the State and that are acceptable to the Agency. Insurance coverage

**2020 Overlays
Grinding and Paving**

shall be primary and noncontributory with any other insurance and self-insurance, with the exception of Workers' Compensation. The Contractor, or appropriate Subcontractor, but not the Agency, shall pay for all deductibles, self-insurance retentions and self-insurance, if any.

- **Commercial General Liability** - The Contractor shall provide Commercial General Liability Insurance written on an occurrence basis and covering the Contractor's liability for bodily injury and property damage. This insurance shall include personal and advertising injury liability, products and completed operations coverage, and contractual liability coverage. Coverage may be written in combination with Commercial Automobile Liability Insurance with separate limits for Commercial General Liability and Commercial Automobile Liability. Combined single limit per occurrence shall not be less than the dollar amount specified in the Contract. The annual aggregate limit shall not be less than the dollar amount specified in the Contract. The policy shall be endorsed to state that the annual aggregate limit of liability shall apply separately to the Contract.
- When Work to be performed includes operations or activity within 50 feet of any railroad property, bridge, trestle, track, roadbed, tunnel, underpass or crossing, the Contractor shall provide the Contractual Liability – Railroads CG 24 17 endorsement, or equivalent, on the Commercial General Liability policy.
- **Commercial Automobile Liability** - The Contractor shall provide, Commercial Automobile Liability Insurance covering all owned, non-owned, and hired vehicles for bodily injury and property damage. This coverage may be written in combination with the Commercial General Liability Insurance with separate limits for Commercial Automobile Liability and Commercial General Liability. Combined single limit per occurrence shall not be less than the dollar amount specified in the Contract. If this coverage is written in combination with the Commercial General Liability, the policy shall be endorsed to state that the Commercial General Liability annual aggregate limit shall apply separately to the Contract.

00170.70(a) Insurance Coverages - Add the following to the end of this subsection:

The following insurance coverages and dollar amounts are required pursuant to this subsection:

Insurance Coverages	Combined Single Limit per Occurrence	Annual Aggregate Limit
Commercial General Liability	\$1,000,000	\$2,000,000
Commercial Automobile Liability	\$1,000,000	(aggregate limit not required)

(b) Extended Reporting - If any of the required insurance is permitted to be and is on a "claims made" basis, the Contractor or Subcontractor who provided the insurance coverage, shall obtain an extended reporting period on the claims made policy or maintain the claims made policy, for a duration of at least 24 months from the date the applicable work has been completed and accepted by the Agency or the date of Final Acceptance. This extended reporting requirement shall be satisfied with documentation of one of the following:

- Extended Reporting Endorsement;
- Tail Coverage; or
- Maintaining the applicable continuous claims made policy with liability coverage.

The Contractor or Subcontractor shall furnish certification of this extended reporting requirement as a condition to receive Third Notice under 00150.90(b) and 00180.50(g).

2020 Overlays Grinding and Paving

(c) Excess/Umbrella Liability - A combination of primary and Excess/Umbrella Insurance may be used to meet the required limits of insurance. Excess/Umbrella coverage must be at least as broad as that provided by the underlying primary insurance policies. In addition, the limits of the underlying primary insurance must be sufficient to prevent any gap between such minimum limits and the attachment point of the coverage provided by the Excess/Umbrella Liability policy.

(d) Workers' Compensation - All employers, including the Contractor and Subcontractor(s), if any, that employ subject workers, as defined in ORS 656.027, shall comply with ORS 656.017 and shall provide Workers' Compensation Insurance coverage, unless such employers meet the requirement for an exemption under ORS 656.126(2). The coverage shall include Employer's Liability Insurance with limits not less than \$500,000 each accident.

The Contractor shall certify in the Contract that the Contractor is registered by the Oregon Workers' Compensation Division either as a carrier-insured employer, a self-insured employer, an exempt employer, or is an independent contractor who will perform the Work without the assistance of others.

The Contractor shall require and verify that its insurance carrier files a guaranty contract with the Oregon Workers' Compensation Division before performing any Work.

All employers, including the Contractor and Subcontractor(s), if any, exempt under ORS 656.126(2) and subject to any other state's Workers' Compensation law, shall provide Workers' Compensation Insurance coverage as required by applicable Workers' Compensation laws. The coverage shall also include Employer's Liability Insurance with limits not less than \$500,000 each accident.

If the Contractor's and Subcontractor's, if any, operations include use of watercraft on navigable waters and employ persons in applicable positions, a Maritime Coverage Endorsement must be added to the Workers' Compensation policy, unless coverage for captain and crew is provided in a Protection and Indemnity policy.

If the Contractor and Subcontractor, if any, conducts its operations in proximity to navigable waters and employ persons in applicable positions, United States Longshore and Harbor Workers' Compensation Act coverage must be endorsed onto the Workers' Compensation policy.

The Contractor shall require compliance with these requirements in all Subcontractor contracts.

(e) Notice of Cancellation or Change - The Contractor shall provide at least 30 Days' written notice to the Agency before cancellation of, material change to, potential exhaustion of aggregate limits, or non-renewal of the required insurance coverages. If a Subcontractor is providing insurance to meet the contract requirements, the Contractor shall provide at least 30 Days' written notice to the Agency before cancellation of, material change to, potential exhaustion of aggregate limits, or non-renewal of the required insurance coverage(s). Any failure to comply with the reporting provisions of this insurance shall not affect the coverage(s) provided to the State, Agency, County, City, or other applicable political jurisdiction or to the Agency's governing body, board, or Commission and its members, and the Agency's officers, agents, and employees.

(f) Certificate(s) of Insurance - As evidence of the insurance coverages required by the Contract, the Contractor shall furnish Certificate(s) of Insurance to the Agency at the time(s) provided in 00130.50(a). As evidence of insurance coverages required by the Contract but permitted by the Agency under 00170.70(a) to be obtained by an appropriate Subcontractor, the Contractor shall furnish Certificate(s) of Insurance to the Agency for such coverages together with

2020 Overlays Grinding and Paving

the Contractor's request under 00180.21 for approval of the subcontract with that Subcontractor. The Certificate(s) shall:

- Include all required endorsements or copies of the applicable policy language effecting coverage required by the Contract;
- Specify that all liability insurance coverages shall be primary and non-contributory with any other insurance and self-insurance, with exception of Workers' Compensation;
- Include a list of all policies that fall under the Excess/Umbrella Insurance if Excess or Umbrella Insurance is used to meet the minimum insurance requirement.

(g) Agency Acceptance - All insurance and insurance providers are subject to Agency acceptance. If requested by Agency, the Contractor shall provide complete copies of insurance policies, endorsements, self-insurance documents and related insurance documents to Agency's representatives responsible for verification of the insurance coverages required by the Contract.

(h) Insurance Requirement Review - The Contractor agrees to periodic review of insurance requirements by Agency under the Contract and to provide updated requirements as mutually agreed upon by the Contractor and Agency.

00170.78 Conflict of Interest - Replace the paragraph that begins " The Contractor shall also be ..." with the following paragraph:

The Contractor shall also be and remain in compliance with the Agency's Conflict of Interest Guidelines. (See 00120.40(g) and 00180.21(b).)

00170.80(c) Responsibility for Damage to Work Caused by Public Traffic - Replace the sentence that begins "The Contractor may apply for relief of responsibility..." with the following sentence:

The Contractor may apply for relief of responsibility for damage to Work caused by Public Traffic by submitting a signed Contractor's Request for Relief of Responsibility, form 734-2768, to the Engineer by mail, personal delivery, courier, scanned and submitted via email, or other agreed-upon method.

00170.89(b) Restoration of Roadway after Repair Work - Replace the paragraph that begins " The Contractor shall restore the Roadway ..." with the following paragraph:

The Contractor shall restore the Roadway to a condition at least equal to that which existed before the repair work addressed under this Subsection was performed, as directed by the Engineer, at no additional cost to the Agency.

SECTION 00180 - PROSECUTION AND PROGRESS

Comply with Section 00180 of the Standard Specifications modified as follows:

00180.20(c)(3) Submittals – Replace the reference to "00180" with the reference "00180.20(a)".

00180.40(b) On-Site Work - Add the following paragraph to the end of the subsection:

The Contractor shall not begin On-Site Work before a preconstruction conference has been held, unless approved by the Engineer.

Add the following subsection:

**2020 Overlays
Grinding and Paving**

00180.40(c) Specific Limitations - Limitations of operations specified in these Special Provisions include, but are not limited to, the following:

Limitations	Subsection
Railways	00170.01(e)
On-Site Work	00180.40(b)
Contract Time	00180.50(h)
Closed Lanes	00220.40(e)(1)
Noise Control	00290.32
Maintenance Under Traffic	00620.43

00180.43 Commencement and Performance of Work - Replace the bulleted list with the following:

- Provide adequate Materials, Equipment, labor, and supervision to perform and complete the Work within the Contract Time or the adjusted Contract Time;
- Perform the Work as vigorously and as continuously as conditions permit, and according to a Project Work schedule that ensures completion within the Contract Time or the adjusted Contract Time;
- Not voluntarily suspend or slow down operations without prior written approval from the Engineer, and if approved submit an updated Project Work schedule according to 00180.41 that ensures completion within the Contract Time or the adjusted Contract Time; and
- Not resume suspended Work without the Engineer’s written authorization.

00180.50(c) Beginning of Contract Time - Replace this subsection, except for the subsection number and title, with the following:

When the Contract Time is stated in Calendar Days, counting of Contract Calendar Days will begin on the day the Contractor begins On-Site Work as defined in 00110.20.

00180.50(d) Recording Contract Time - Replace the paragraph that begin with “On Contracts with Calendar...” with the following paragraph:

On Contracts with Calendar Day counts, the Engineer will furnish the Contractor a weekly statement of Contract Time charges. The statement will show the number of Calendar Days counted for the preceding week and the number of Calendar Days remaining prior to the established completion date for the specified Work in 00180.50(h).

Add the following subsection:

00180.50(h) Contract Time - There is one Contract Time on this Project as follows:

The Contractor shall complete all Work to be done under the Contract not later than **October 2, 2020**.

00180.70(b) Contractor’s Responsibility during and after Suspension - Replace the reference to “00150.40(b)” to the reference “00150.40”.

00180.85(b)(1) Single Contract Time - Replace this subsection, except for the subsection number and title, with the following:

The Liquidated Damages per Calendar Day* are 15.0 percent of C divided by T as defined in this Section.

2020 Overlays Grinding and Paving

C = The Contractor's Bid amount for the Contract.

T = The total Calendar Days between the latest completion date or time listed under 00180.50(h) in the Solicitation Documents and the Bid Opening that will result in the greatest value for T.

* Calendar Day amounts are applicable when the Contract time is expressed on the Calendar Day or fixed date basis.

Add the following subsection:

00180.85(c) Lane Closures - Lane closures beyond the limits specified will inconvenience the traveling public and will be a cost to the Agency.

It is impractical to determine the actual damages the Agency will sustain in the event Traffic Lanes are closed beyond the limits listed in 00220.40(e). Therefore, the Contractor shall pay to the Agency, not as a penalty, but as liquidated damages, \$500 per 15 minutes, or for a portion of 15 minutes, per lane, for any lane closure beyond the limits listed in 00220.40(e). In addition to the liquidated damages, all added cost for traffic control measures, including flagging, required to maintain the lane closures beyond the allowed time limits, will be at no additional cost to the Agency. The required traffic control measures will be as determined by the Engineer.

The Engineer will determine when it is safe to reopen lanes to traffic. Assessment of liquidated damages will stop when all lanes have been safely reopened. Any liquidated damages assessed under these provisions will be in addition to those listed in 00180.85(b).

Add the following subsection:

00180.85(e) Traffic Delays Beyond 15 Minutes - Stopping or holding vehicles beyond the limits specified will inconvenience the traveling public and will be a cost to the Agency.

It is impractical to determine the actual damages the Agency will sustain in the event traffic is stopped or held longer than the 15-minute limit listed in 00220.02. Therefore, the Contractor shall pay to the Agency, not as a penalty, but as liquidated damages, \$500 per 15 minutes, or for a portion of 15 minutes, for stopping or holding traffic longer than 15 minutes. In addition to the liquidated damages, any added cost for traffic control measures, including flagging, required to stop or hold traffic beyond the 15-minute time limit, will be at no additional cost to the Agency. The required traffic control measures will be as determined by the Engineer.

Assessment of liquidated damages will stop when the Engineer determines that traffic is no longer stopped or held beyond the 15-minute limit. Any liquidated damages assessed under these provisions will be in addition to those listed in 00180.85(b).

00180.90(b) Substituted Performance - Replace the paragraph that begins "According to the Agency's procedures..." with the following:

According to the Agency's procedures, and upon the Engineer's recommendation that sufficient cause exists, the Agency, without prejudice to any of its other rights or remedies and after giving the Contractor and the Contractor's Surety at least 10 Calendar Days' written notice, may:

SECTION 00190 - MEASUREMENT OF PAY QUANTITIES

Comply with Section 00190 of the Standard Specifications modified as follows:

2020 Overlays Grinding and Paving

00190.20(f)(1) Scale With Automatic Printer - Replace the paragraph that begins "If more than 50 tons..." with the following:

When 2,000 tons or less of all types of Materials are received from a scale, check weighing will be at the discretion of the Engineer.

The Contractor shall make at least one check weighing on projects where more than 2,000 Tons of all types of Materials are received from a scale. If more than 50 Tons per Day of all types of Materials are received from a scale, the Contractor shall make random check weighings at least once every ten Days on which more than 50 Tons is received or at each interval that 10,000 Tons has been weighed, whichever occurs first, or as directed by the Engineer. The check weighing frequency does not apply to total quantities less than 2,000 Tons of all types of Materials from a scale. The Contractor shall provide the Engineer with the results of the check weighing.

SECTION 00195 - PAYMENT

Comply with Section 00195 of the Standard Specifications modified as follows:

00195.10 Payment For Changes in Materials Costs - Replace this subsection with the following subsection:

00195.10 Asphalt Cement Material Price Escalation/De-escalation - No Pay Items under this Contract qualify for the asphalt cement material escalation/de-escalation program for this Project.

00195.12(d) Steel Materials Pay Item Selection - Add the following paragraph to the end of this subsection:

No Pay Items under this Contract qualify for the steel escalation/de-escalation program for this Project.

00195.50(b) Retainage – Replace this Subsection, except for the Subsection number and title, with the following:

The Agency reserves the right in its sole discretion to not withhold retainage from progress payments or to begin withholding retainage at any time. If the Agency withholds retainage from progress payments, the amount to be retained from progress payments will be 5% of the value of Work accomplished, and will be retained in one of the forms specified in Subsection (c) below.. No retainage will be withheld from Work performed as Force Account Work, escalation/de-escalation, bonuses, or other items decided by the Agency.

As provided in 00170.65(b)(3) in addition to any retainage, a withholding of 25% of amounts earned will be withheld and released according to ORS 279C.845 when the Contractor fails to file the certified statements required in ORS 279C.845, FHWA Form 1273, and 00170.65.

00195.50(c) Forms of Retainage - Replace the paragraph that begins "Forms of acceptable retainage are specified below ..." with the following paragraph:

If the Agency withholds retainage, forms of acceptable retainage are specified below in Subsections (1) through (3). Unless the Contractor requests and the Agency accepts a form of retainage under Subsections (2) or (3), the Agency will use the "Cash, Alternate A" in this Subsection. If the Agency incurs additional costs as a result of the Contractor's election to use a form of retainage other than Cash, Alternate A, the Agency may recover such costs from the Contractor by a reduction of the final payment.

2020 Overlays Grinding and Paving

00195.50(c)(1) Cash, Alternate A - Replace the paragraph that begins "The Agency will deposit the cash retainage ..." with the following two paragraphs:

Except as otherwise provided, the Agency will deposit the cash retainage withheld in an interest-bearing escrow account as required by ORS 279C.570(2). The Contractor shall execute such documentation and instructions respecting the interest-bearing escrow account as the Agency may require to protect its interests, including but not limited to a provision that no funds may be paid from the account to anyone without the Agency's advance written authorization. Interest earned on the account shall accrue to the Contractor. Amounts retained and interest earned will be included in the final payment made according to 00195.90, unless otherwise specified in the Contract.

For a contract over \$500,000, if the Contractor requests that the Agency deposit the retainage in an interest-bearing account under ORS 279C.560(5), the Agency will use the "Cash, Alternate A" in this Subsection. For a contract \$500,000 or less, if the Contractor requests that the Agency deposit the retainage in an interest-bearing account under ORS 279C.560(5), the Agency will use an interest-bearing account (in a bank, savings bank, trust company, or savings association) as provided under ORS 279C.560(5).

00195.50(c)(2) Cash, Alternate B (Retainage Surety Bond) - Replace the paragraph that begins " Upon receipt of an approved retainage surety ..." with the following paragraph:

Upon receipt of an approved retainage surety bond, the Agency will limit the amount of cash retainage withheld to \$10,000, which will be deposited in an interest-bearing escrow account as described in (1) above. The surety bond must be in the bond form provided by the Agency. The bond must be provided by the same Surety that provides the Performance and Payment Bonds.

Replace the paragraph that begins "Amounts of retainage withheld under ..." with the following paragraph:

Amounts retained and interest earned will be included in the final payment made according to 00195.90, unless otherwise specified in the Contract.

00195.50(d) Release of Retainage - Add the following paragraph to the end of this Subsection:

The Contractor shall comply with all applicable legal requirements for withholding and releasing retainage and for prompt payments, including but not limited to those in ORS Chapters 279C and 701, and 49 CFR 26.29.

00195.50(e) Withholding Payments - Add the following bullet to the bullet list:

- Paid all liquidated and delinquent debt owed to the State or any department or agency of the State. (In addition to Agency's other rights and remedies, the Agency may also undertake collection by administrative offset, or garnishment if applicable, of all monies due to recover such debt. Offsets or garnishment may be initiated after the Contractor has been given notice if required by law.)

Replace the bullet that begins "Complied with all orders issued..." with the following two bullets:

- Complied with all orders and directives issued by the Engineer under or pursuant to the Contract;
- Corrected or cured its failure to comply with the Contract; and

Replace the paragraph that begins "Notwithstanding ORS 279C.555 or ORS 279C.570..." with the following paragraph:

2020 Overlays Grinding and Paving

Notwithstanding ORS 279C.555 or ORS 279C.570 or 00195.50(d), if a Contractor is required to file statements on the prevailing rate of wages, but fails to do so, the Agency will withhold 25% of any amount earned as required in 00170.65.

00195.50(f) Prompt Payment Policy - Replace the paragraph that begins "Payments shall be made promptly ..." with the following paragraph:

Payments shall be made promptly according to ORS 279C.570, ORS 279C.580 and other applicable legal requirements.

00195.70(b)(3) All Other Work - Replace the sentence that begins "The Agency shall pay the Contractor at..." with the following sentence:

The Agency will pay the Contractor at the unit price for the number of Pay Item units of completed, accepted Work.

SECTION 00196 - PAYMENT FOR EXTRA WORK

Comply with Section 00196 of the Standard Specifications.

SECTION 00197 - PAYMENT FOR FORCE ACCOUNT WORK

Comply with Section 00197 of the Standard Specifications.

SECTION 00199 - DISAGREEMENTS, PROTESTS, AND CLAIMS

Comply with Section 00199 of the Standard Specifications.

SECTION 00210 - MOBILIZATION

Comply with Section 00210 of the Standard Specifications.

SECTION 00220 - ACCOMMODATIONS FOR PUBLIC TRAFFIC

Comply with Section 00220 of the Standard Specifications modified as follows:

00220.02(a) General Requirements - Add the following bullet to the end of the bullet list:

- When paving operations create an abrupt edge, protect traffic by installing a "DO NOT PASS" (R4-1) sign before the work area at sign spacing "A" from the TCD Spacing Table" shown on the standard drawings. Alternate "ABRUPT EDGE" (CW21-7) signs with appropriate (CW21-8) rider and "DO NOT PASS" (R4-1) signs at 1/2 mile spacings. Install a "BUMP" (W8-1) sign 100 feet prior to the transverse paving edge.

00220.40(e)(1) Closed Lanes - Replace this subsection, except for the subsection number and title, with the following:

One or more Traffic Lanes may be closed when allowed, shown, or directed during the following periods:

- Daily, Monday through Friday, between 7:00 am and 8:00 pm
- Saturday, between 8:00 am and 8:00 pm, upon written approval from the Engineer

**2020 Overlays
Grinding and Paving**

SECTION 00225 - WORK ZONE TRAFFIC CONTROL

Comply with Section 00225 of the Standard Specifications modified as follows:

00225.02(a) Temporary Signs - Add the following bullet(s) to the end of the bullet list:

- When the existing centerline striping on Bellinger Scale Road or Brewster Road is obliterated, do the following:
 - Place a "NO CENTER LINE" (W8-12) sign with a 24 by 18-inch "NEXT ___ MILES" (W7-3aP) rider, approximately 2,500 feet in advance of each end of the Project.
 - Place a "DO NOT PASS" (R4-1) sign on each side of the Roadway at the beginning of each existing no passing zone.
 - Place a "PASS WITH CARE" (R4-2) sign on the right side of the Roadway at the end of each existing no passing zone. If the length between no passing zones is 1,300 feet or less, do not install the "PASS WITH CARE" signs. Cover the "PASS WITH CARE" signs with a non-transparent weather and wind proof cover each time they are within an active Work Area controlled by flaggers with or without pilot cars, or when directed.
- During pilot car operations, install a 15 by 24-inch "WAIT FOR PILOT CAR" (CR4-20) sign at stop-controlled side roads and accesses intersecting the Highway within the limits of the pilot car operation.
- During pilot car operations, install a 12 by 12-inch "WAIT FOR PILOT CAR" (CR4-20a) sign in private residential driveways accessing the Highway within the limits of the pilot car operation. Place the sign in the driveway facing the private residence and so the sign face is not visible to Public Traffic on the Highway. Do not use the sign for apartments, condominiums or business accesses.
- At accesses, side roads, or residential driveways where "WAIT FOR PILOT CAR" (CR4-20) signs are installed, do not allow traffic to be stopped or held for longer than 15 minutes.

In addition to the signs, public notification (e.g. flyers, door hangers) may be used to inform the residents that may be affected by the pilot car operations and the "WAIT FOR PILOT CAR" signs.

00225.11(a) Temporary Signs - Add the following paragraph after the paragraph that begins "Furnish Temporary signs meeting...":

The County will furnish and install "ABRUPT EDGE" signs that will be turned or covered. Upon completion of mainline paving Work on a section of Highway, the Contractor shall turn or uncover the signs to delineate an abrupt edge.

00225.32(b) Traffic Control Inspection Without TCS - Add the following bullet to the end of the bullet list:

- Shall report to the Project Site within 1 hour after being notified in the event of a Work Zone incident during non-work periods.

Add the following subsection:

00225.41(h) Wait For Pilot Car Signs - For each location of the "WAIT FOR PILOT CAR" sign, closely monitor for traffic compliance, operation, and safety at least once per hour during pilot car operations. If operational issues are observed, or if notified of operational issues, at stop-controlled accesses or side roads utilizing the "WAIT FOR PILOT CAR" (CR4-20) sign, remove the sign and replace it with a flagger.

2020 Overlays Grinding and Paving

00225.43(e) Pavement Markers - Replace the paragraph that begins "Unless otherwise shown..." and the three bullets with the following paragraphs and bullets:

Install temporary flexible overlay pavement markers for temporary centerline marking as follows:

- Place and maintain one temporary flexible overlay pavement marker on 40 foot spacing in tangent and curve sections except as below.
- Place and maintain one temporary flexible overlay pavement marker on 20 foot spacing in curved alignment sections identified by a speed rider displaying less than the posted speed and channelization areas.
- Remove and replace misaligned markers at no additional cost to the Agency.

00225.88(a) Flaggers - Replace this subsection, except for the subsection number and title, with the following:

No measurement will be made for flaggers.

SECTION 00280 - EROSION AND SEDIMENT CONTROL

Comply with Section 00280 of the Standard Specifications modified as follows:

00280.04 Erosion and Sediment Control Plan on Agency Controlled Lands - Replace this subsection, except for the subsection number and title, with the following:

No erosion and sediment control or erosion and sediment control plan is necessary for this project.

This project is limited to the roadway prism and all Work will be staged on existing paved surfaces and gravel shoulders.

00280.80 Measurement - Replace this subsection, except for the subsection number and title, with the following:

No measurement of quantities will be made for work performed under this section.

00280.90 Payment - Replace this subsection, except for the subsection number and title, with the following:

No separate or additional payment will be made for work performed under this section.

SECTION 00290 - ENVIRONMENTAL PROTECTION

Comply with Section 00290 of the Standard Specifications modified as follows:

00290.10 Staging and Disposal Sites – Replace the paragraph that begins "Locate staging areas and disposal..." with the following paragraphs:

Locate staging areas and disposal sites in previously improved or disturbed sites, including existing Roadways, pullouts, turnouts, parking lots, and storage yards that have been compacted, and graveled or paved unless otherwise specified in Section 00236 or Section 00237 or approved, in writing, by the Engineer.

Do not stage Equipment, park Equipment or store Materials in any City, County, State, or Federal park, wayside or recreational facility.

2020 Overlays

Grinding and Paving

Restore the any staging sites by:

- Removing all imported fabric, rock, and other construction debris.
- Smoothing the ground.
- Reseeding all disturbed earth.

00290.20(c)(1) General - Replace the paragraph that begins “Segregate all demolition debris according to...” with the following paragraph:

Segregate all demolition and construction debris according to its intended end use (reuse, recycle, or dispose). If required, store in designated areas in a manner that prevents contamination to Soil and water and prevents fugitive dust emissions. Remove all waste materials recovered from the site unless otherwise approved, in writing. Retain disposal and recycling facility receipts for wastes generated on site for at least 1 year after completion of the Project. Provide copies of the receipts to the Engineer within 7 Calendar Days of the disposal or recycling.

00290.20(c)(3) Reuse, Recycle and Dispose of Materials - Replace the title of this subsection with “**Reuse, Recycle, Compost and Dispose of Materials**”.

(3) Reuse, Recycle, Compost and Dispose of Materials – Replace the three bullets with the following bullets:

- Reuse demolition and construction debris.
- Recycle demolition and construction debris.
- Compost or mulch yard waste material from lawn and landscape maintenance.
- If it is not feasible to reuse, recycle, or compost, (“feasible” is defined as a facility that is capable of handling the material, will take the material and the cost of transportation plus the cost to reuse or recycle the material is equal to or less than the costs of disposal) dispose of waste material according to the following:

00290.30(b) Pollution Control Plan - Replace the paragraph that begins “Develop and submit a PCP...” with the following:

Develop a PCP using ODOT Form 734-2445 and submit it for approval at least 10 Calendar Days before the preconstruction conference. Maintain a copy of the PCP on-site at all times during construction activities, readily available to employees and Inspectors. Ensure that all employees comply with the provisions of the PCP.

Delete the paragraph that begins “A Pollution Control Plan...”.

00290.32 Noise Control - Replace the first bullet with the following:

- Do not perform construction operations, including staging, within 1000 feet of any occupied dwelling unit on Sundays, legal holidays and between the hours of 8:00 p.m. and 7:00 a.m. on weekdays and between the hours of 8:00 p.m. and 8:00 a.m. on Saturdays, unless otherwise approved by the Engineer.

SECTION 00310 - REMOVAL OF STRUCTURES AND OBSTRUCTIONS

Comply with Section 00310 of the Standard Specifications.

**2020 Overlays
Grinding and Paving**

SECTION 00620 - COLD PLANE PAVEMENT REMOVAL

Comply with Section 00620 of the Standard Specifications modified as follows:

00620.43 Maintenance Under Traffic - Replace this subsection, except for the subsection number and title, with the following:

Traffic will be allowed on the cold planed surface up to 3 Calendar Days after removing the existing surface. Sweep and clean the cold planed surface before opening to traffic.

Before beginning paving operations, make repairs to the existing cold planed surface as directed. Payment for the repairs will be made according to 00195.20.

SECTION 00730 - EMULSIFIED ASPHALT TACK COAT

00730.90 Payment - Replace this subsection, except for the subsection number and title, with the following:

No separate or additional payment will be made for Emulsified Asphalt tack coat.

SECTION 00744 - ASPHALT CONCRETE PAVEMENT

Comply with Section 00744 of the Standard Specifications modified as follows:

00744.43(c) Placing - Add the following:

Any asphalt concrete left on the shoulder of the road that is 3-inches or larger shall be removed prior to final acceptance.

00744.10(c)(1) Processing Shingles - In the paragraph that begins "Process the RAS by grinding...", replace the words "AASHTO T 2" with the words "AASHTO R 90".

00744.11(a) Asphalt Cement - Add the following to the end of this subsection:

Provide 64-22 grade asphalt cement for this Project.

00744.44(b) Drop-Offs: Replace the bullet that begins "Construct, maintain, remove, and dispose ..." with the following bullet:

- Construct, maintain, remove, and dispose of the temporary wedge at no additional cost to the Agency. ACP for the temporary wedge will be paid for at the Contract unit price.

00744.45(a)(1) Temporary End Panel - Replace the bullet that begins "Construct, maintain, remove, and dispose ..." with the following bullet:

Construct, maintain, remove, and dispose of the temporary wedge at no additional cost to the Agency. ACP for the temporary wedge will be paid for at the Contract unit price.

00744.45(a)(3) Excess Asphalt Concrete Pavement- Delete the sentence that begins "Payment will be made...." And replace with the following:

After completing end panels as specified, dispose of unused, remaining ACP outside and beyond the limits of the Project and Agency controlled property according to 00290.20. Do not dispose of materials on wetlands, either public or private, or within 300 feet of rivers or streams.

**2020 Overlays
Grinding and Paving**

00744.90 Payment - In the paragraph that begins "No separate or..." add the following bullets:

- Asphalt tack coat
- Unused, remaining, or excess ACP
- Reflective tape or temporary flexible overlay pavement markings

Add the following to the end of this subsection:

Payment will be made for the actual material placed. A weigh ticket shall be provided for any material not used on the project. If a weigh ticket is not provided, the Engineer will make an appropriate determination on the amount of Asphalt that was not used.

SECTION 00749 - MISCELLANEOUS ASPHALT CONCRETE STRUCTURES

Comply with Section 00749 of the Standard Specifications modified as follows:

Add the following subsection:

00749.48 Finishing Asphalt Approaches - Where required, rock shall be placed at driveways and field approaches in a manner that provides an adequate transition between the new surface and the existing surface, subject to approval by the Engineer.

//

//

//

//

//

//

//

//

//

//

//

//

//

//

//

**2020 Overlays
Grinding and Paving**


APPENDIX A - PROJECT PLANS

Attached

The Plans, which are applicable to the Work to be performed under this Contract, bear title and date as follows:

Linn County
2020 Overlays Plans

Linn County 2020 Overlays Plans



Bellinger Scale Rd, CR 0722 Unit 1




Figure 1

Bellinger Scale Road, CR 0722

Unit 1

1.73 miles

**Starting at 100' Beyond Mt. Hope Dr. to 100' Beyond Edwards Dr.
See Figure 1**

- 4" Overlay, 32' Wide, Approximately 9,136 Long
- Level 3, 1/2" Dense Graded ACP
- Pre-level: None
- Grinding: Grind 2" to 0" transitional taper for 50 ft beginning 100' south of Mt. Hope Drive (Approx. 178 SY)

Grind 0" to 2" transitional taper for 50 ft beginning 150' south of the Bridge 0722-297 (Approx. 178 SY)

Grind 2" to 0" transitional taper for 50 ft beginning 100' north of the Bridge 0722-297 (Approx. 178 SY)

Grind 0" to 2" transitional taper for 50 ft beginning 50' north of Edwards Drive (Approx. 178 SY)
- Utilities: No known utility issues
- Bridges: BR0722-297 (See grinding bullets)
- Driveways: 11 paved driveways will be paved
21 gravel driveways will be paved
- Field Approaches: Wing out approximately 3 ft. at each field approach (Approx. 14) One on Old Bellinger Scale Road
- Intersections: Pave Mt. Hope Drive for approx. 150' with a 50' feather joint

Pave Mt. Pleasant Drive for approx. 150' with a 50' feather joint

Pave Edwards Drive for approx. 175' with a 50' feather joint

Pave Old Bellinger Scale Road for approx. 150' with a 50' feather joint
- Saw Cutting: At butt joints (Approx. 128 LF)

Brewster Road, CR 0024 Unit 2




Figure 2

Brewster Road, CR 0024

Unit 2


1.68 miles

**Starting at the Railroad Tracks to Chip Seal on Brewster Rd.
See Figure 2**

- 2" Overlay, 32' Wide, Approximately 8,865 Long
- Level 3, 1/2" Dense Graded ACP
- Pre-level: None
- Grinding: Grind 2" to 0" transitional taper for 50 ft beginning at the edge of the RR track concrete base (Approx. 178 SY)

Grind 0" to 2" transitional taper for 50 ft ending at the edge of the Chip Seal (Approx. 178 SY)
- Utilities: No known utility issues
- Bridges: None
- Driveways: 9 paved driveways will be paved
- Field Approaches: Wing out approximately 3 ft. at each field approach (Approx. 10)
- Intersections: Pave Balm Drive for approx. 100' with a 50' feather joint
- Saw Cutting: At butt joints (Approx. 72 LF)
- Railroad Facility: Albany & Eastern Railroad Company (see special provisions)

PAVING SECTION



UNIT	COUNTY ROAD NO.	COUNTY ROAD NAME	WIDTH	OVERLAY DEPTH	LENGTH (MILES)	SPECIALS	QUANTITY (TONS)
1	0722	Bellinger Scale Road	32'	4"	1.73	G, D, I, S	7,677
2	0024	Brewster Road	32'	2"	1.68	G, D, I, S	3,535
TOTALS					3.41		11,212

NOTES:


- (1) THESE QUANTITIES ARE AN ESTIMATE ONLY WITH ACTUAL QUANTITIES TO BE DETERMINED IN THE FIELD.
- (2) INSTALL 8' PAPER JOINT WEDGE IN GRINDING SECTIONS THAT WILL NOT BE PAVED IN THE SAME SHIFT.

SPECIALS LEGEND

- G - Includes cold plane pavement removal
- D - Pave driveways on this unit
- I - Intersections paved
- S - Asphalt pavement saw cutting

Figure 3

ASPHALT APPROACH CONSTRUCTION DETAIL



UNIT	ROAD NO	COUNTY RD. NAME	DRIVEWAY	INTERSECTION
1	0722	Bellinger Scale Road	11/21**	4
2	0024	Brewster Road	9	1
TOTALS			41	5

**INDICATES EXISTING GRAVEL TO BE PAVED 3" THICK

Figure 4

APPENDIX B - BID SECTION

ATTENTION:

DO NOT INCLUDE THE PLANS AND SPECIFICATIONS WHEN SUBMITTING YOUR BID PROPOSAL. SUBMIT ONLY THE ITEMS INCLUDED IN THE BID SECTION AND ANY ADDENDUM THAT MAY HAVE BEEN ISSUED FOR THIS PROJECT.

INCLUDED IN THIS SECTION:

- BID SCHEDULE
- PROPOSAL
- BID PROPOSAL BOND
- FIRST TIER SUBCONTRACTOR DISCLOSURE FORM

**2020 Overlays
Grinding, Paving, Striping**

BID SCHEDULE

2020 Overlays
Grinding and Paving

Bid Opening: June 21, 2020 at approximately 9:35 a.m., P.D.T.

ITEM	UNIT	QUANT.	UNIT PRICE	TOTAL
1. Mobilization	LS	1	\$	\$
2. Work Zone Traffic Control, Complete	LS	1	\$	\$
3. Pollution Control Plan	LS	1	\$	\$
4. Asphalt Pavement Saw Cutting	FOOT	200	\$	\$
5. Cold Plane Pavement Removal, 2"- 0" Depth	SQYD	1,067	\$	\$
6. Level 3, 1/2 Inch Dense ACP Mixture	TON	11,212	\$	\$
7. Extra for Asphalt Approaches	EACH	41	\$	\$
PROJECT TOTAL			\$	

Authorized Signature

Print

Company Name

Address

City State Zip Code

Fax Number

Phone Date

Email

Oregon Construction Contractors Board Number

**2020 Overlays
Grinding and Paving**

BID PROPOSAL

TO: COUNTY BOARD OF COMMISSIONERS, LINN COUNTY, OREGON

The undersigned, as bidder, declares that:

This bid is for the work described on the "Description of Work" sheet bound in this bid.

This bid has been prepared from documents obtained from Linn County Road Department website at: <http://www.co.linn.or.us/Roads/ContractConst.asp> - Project Title

The only persons or parties interested in this bid as principals are those named in this bid.

The bidder submits this bid in accordance with and subject to the terms and conditions stated in Sections 00120 and 00130 of the specifications.

Bidder shall check one box: Bidder is is not a resident bidder as defined in ORS 279A.120.

The bidder has obtained and become acquainted with the applicable standard specifications, special provisions, plans, and other required provisions applicable to the particular work for which the bid is submitted.

The bidder has personally inspected the location and the site of the work and has become acquainted with all conditions, local and otherwise, affecting it.

The bidder has obtained and become acquainted with the forms of contract and bond which are to be signed by the successful bidder.

The bidder is satisfied as to the quantities and conditions and understands that in signing this bid the bidder waives all right to claim any misunderstanding regarding these quantities and conditions.

The bid guaranty submitted with this bid, if a bid bond, is by this reference made a part of this bid.

The bidder also proposes and agrees that:

If this bid is accepted, the bidder will execute the contract form furnished by the Agency, will provide all necessary machinery, equipment, tools, apparatus, labor and other means of construction, and will do all work and furnish all the materials specified in or called for by the contract in the manner and time prescribed in the contract and according to the requirements of the Engineer as given in the contract.

The bidder will accept, as full payment for the work performed and the materials, labor, equipment, machinery, tools, apparatus and other means of construction furnished, the amount earned under the contract as computed in the manner described in the specifications from the quantities of the various classes of work performed and the respective unit prices bid as these prices are given in the "Bid Schedule" bound in this bid.

Any contract awarded to the bidder shall include the provisions required by ORS 279C.830 or 40 U.S.C. 276a.

2020 Overlays Grinding and Paving

The bidder also certifies to the following:

A. Noncollusion:

The price(s) and amount of this bid have been arrived at independently and without consultation, communication, or agreement with any other contractor, bidder, or potential bidder except as disclosed on a separately attached statement.

Neither the price(s) nor the amount of this bid, and neither the approximate price(s) nor approximate amount of this bid has been disclosed to any other firm or person who is a bidder or potential bidder, and they will not be disclosed before the opening of bids.

No attempt has been made or will be made to induce any firm or person to refrain from bidding on this contract, to submit a bid higher than this bid, or to submit any intentionally high or noncompetitive bid or other form of complementary bid.

This bid is made in good faith and not pursuant to any agreement or discussion with, or inducement from, any firm or person to submit a complementary or other noncompetitive bid.

The bidder, its affiliates, subsidiaries, officers, directors, and employees are not currently under investigation by any governmental agency and have not in the last four years been convicted of or found liable for any act, prohibited by State or Federal law in any jurisdiction, involving conspiracy or collusion with respect to bidding on any public contract except as described on a separately attached statement.

The bidder understands and acknowledges that the above representations are material and important and will be relied on by the Agency, in awarding the contract(s) for which this bid is submitted. The bidder understands that any misstatement in this certification is and shall be treated as fraudulent concealment from the Agency, of the true facts relating to the submission of bids for this contract.

B. Noninvolvement in Any Debarment and Suspension:

The bidder, its owners, directors, and officers:

Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency.

Have not within a three-year period preceding this bid been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.

Are not presently indicted for or otherwise criminally or civilly charged by a government entity (Federal, State, or local) with commission of any of the offenses enumerated in the preceding paragraph of this certification.

Have not within a three-year period preceding this bid had one or more public transactions (Federal, State, or local) terminated for cause or default.

2020 Overlays Grinding and Paving

Where the prospective primary participant is unable to certify to any of the statements in this certification, the prospective primary participant shall attach an explanation to this bid.

List exceptions. (For each exception noted, indicate to whom the exception applies, initiating agency, and dates of action. If additional space is required, attach another page with the following heading: Certification Exceptions continued, Bid Insert.)

Exceptions will not necessarily result in denial of award, but will be considered in determining bidder responsibility. Providing false information may result in criminal prosecution or administrative sanctions.

C. Lobbying Activities:

To the best of my knowledge and belief, that:

No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying" to the Agency.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The prospective participant also agrees by submitting his or her bid that he or she shall require that the language of this certification be inserted in all lower tier subcontracts, which exceed \$100,000 and that all such subrecipients shall certify and disclose accordingly.

D. Compliance With Oregon Tax Laws:

By signature on this bid, the undersigned hereby certifies under penalty of perjury that the undersigned is authorized to act on behalf of bidder, that the undersigned has authority and knowledge regarding bidder's payment of taxes, and that bidder is, to the best of the undersigned's knowledge, not in violation of any Oregon Tax Laws. For purposes of this

2020 Overlays Grinding and Paving

certification, "Oregon Tax Laws" means a state tax imposed by ORS 320.005 to 320.150 (Amusement Device Taxes), ORS 403.200 to 403.250 (Tax For Emergency Communications), and ORS Chapters 118 (Inheritance Tax), 314 (Income Tax), 316 (Personal Income Tax), 317 (Corporation Excise Tax), 318 (Corporation Income Tax), 321 (Timber And Forestland Tax), 323 (Cigarettes And Tobacco Products Tax), and the elderly rental assistance program under ORS 310.657, and any local taxes administered by the Department of Revenue under ORS 305.620.

E. Employee Drug Testing Program:

Pursuant to ORS 279C.505(2), that the bidder has an employee drug testing program in place, and will maintain such program for the entire period of this contract. Failure to maintain such program shall constitute a material breach of contract.

F. Nondiscrimination:

Pursuant to ORS 279A.110, that the bidder has not discriminated and will not discriminate against a disadvantaged business enterprise, a minority-owned business, a woman-owned business, a business that a service-disabled veteran owns, or an emerging small business in obtaining any required subcontracts. The bidder understands that it may be disqualified from bidding on this public improvement project if the Agency finds that the bidder has violated subsection (1) of ORS 279A.110.

G. Use of Registered Subcontractors:

That all subcontractors performing work on this public improvement contract will be registered with the Construction Contractors Board or licensed by the State Landscape Contractors Board in accordance with ORS Chapter 701 before the subcontractors commence work under this contract.

H. Incorporation of All Addenda:

The bidder has incorporated into this bid all addenda issued for this Project.

The bidder understands and acknowledges that the Agency will provide all addenda only by publishing them on the Agency's website. Addenda may be downloaded from the Agency's website.

The bidder shall be responsible for diligently checking the Agency's website for addenda. Bidders should check the website at least weekly until the week of Bid Closing and daily during the week of Bid Closing.

By submitting this bid, the bidder assumes all risks associated with its failure to access all addenda and waives all claims, suits, and actions against the State, the Transportation Commission, the Department of Transportation and their members, officers, agents, and employees that may arise out of the bidder's failure to access all addenda, in spite of any contingencies such as website failure, down-time, service interruptions, and corrupted, inaccurate, or incomplete addenda or information.

The party by whom this proposal is submitted, and by whom the contract will be entered into in case the award is made to bidder is:

**2020 Overlays
Grinding and Paving**

_____ [“An Individual,” “A Partnership,” “A Corporation,” “An Association”]

doing business under the name of _____

at _____
[Street] [City] [State] [Zip Code]

which address is the address to which all communications concerning this bid and the contract should be sent.

The name of the surety by which the Performance Bond and Payment Bond covering the contract, if awarded, will be furnished and the name and address of the surety's local agent are as follows:

Name of Surety _____

Name of Agent _____

Accompanying this proposal is _____
[“Proposal Bond,” “Cashier' s Check,” “Certified Check”]

in the amount of _____ percent of the bid.

The bidder further proposes to accept as full payment for the work proposed herein the amount computed under the provision of the contract documents and based on the unit price amounts, under Bid Schedule bound herein, it being expressly understood that the unit prices are independent of the exact quantities involved. The bidder agrees that the unit prices represent a true measure of the labor and materials required to perform the work, including all allowances for overhead and profit for each type and unit of work called for in these contract documents.

If this proposal shall be accepted and the undersigned shall fail or neglect to contract as aforesaid, and to give bonds in the amount specified, with surety satisfactory to the Linn County Board of Commissioners, within ten (10) days [not including Sunday], from the date of receiving from the Board of Commissioners the contract and prepared and ready for execution, the Board of Commissioners may, at its option, determine that the bidder has abandoned the contract, and thereupon forfeiture of the guaranty accompanying the bid shall operate and the same shall be the property of the Linn County Board of Commissioners.

Bidder

Dated _____, 20____

By: _____

By: _____

**2020 Overlays
Grinding and Paving**

BID PROPOSAL BOND

KNOW ALL MEN BY THESE PRESENTS, THAT WE, _____, as principal, and the _____, duly organized under the laws of the State of Oregon, as surety, are held and firmly bound unto the County Board of Commissioners as an obligee, in the full and penal sum of ten percent (10%) of the total amount of the proposal of said principal for the work hereinafter described, for the payment of which well and truly to be made, we bind ourselves, our heirs, executors, administrators, and assigns, and successors and assigns, firmly by these presents.

The condition of this bond is such that, whereas the principal herein is herewith submitting its proposal for the following work, to wit:

Said proposal, be reference hereto, being hereby made a part hereof;

NOW, THEREFORE, if the said proposal submitted by the said principal be accepted, and the contract for said work be awarded to said principal, and if the said principal shall enter into and execute the said contract and shall furnish bond as required by the Linn County Board of Commissioners within the time fixed by said Board, then this obligation shall be void; otherwise to remain in full force and effect.

Signed and sealed this _____, day of _____, 20____

Principal

Company

Countersigned at _____, this _____, day of _____, 20____

Surety

By: _____

Agent Address

Agent Phone

Agent Fax

**2020 Overlays
Grinding and Paving**

FIRST-TIER SUBCONTRACTOR DISCLOSURE FORM

Project Name 2020 Overlays

Highway Brewster Road and Bellinger Scale Road

County Linn

Bid Opening Date July 21, 2020

Name of Bidding Contractor _____

Email Address _____

CHECK THIS BOX IF YOU WILL NOT BE USING ANY FIRST-TIER SUBCONTRACTORS OR IF YOU ARE NOT SUBJECT TO THE DISCLOSURE REQUIREMENTS (SEE INSTRUCTIONS).

FIRST-TIER SUBCONTRACTORS

Firm Name	Dollar Amount
Category of Work	

Firm Name	Dollar Amount
Category of Work	

Firm Name	Dollar Amount
Category of Work	

Firm Name	Dollar Amount
Category of Work	

Firm Name	Dollar Amount
Category of Work	

Firm Name	Dollar Amount
Category of Work	

Firm Name	Dollar Amount
Category of Work	

(Attach additional sheets as necessary)